ELSEVIER

Volume 250, Numbers 1–2, 1 September 1996

Inorganica Chimica Acta

Contents

Publisher's Note xv

Preliminary Communication

Preparation and characterization of a vanadium(III) dinitrogen complex supported by a tripodal anionic amide ligand 1
N. Desmangles, H. Jenkins, K.B. Ruppa, S. Gambarotta (Ottawa, Ont., Canada)



Articles

Properties and dynamics of the $\sigma(M'-Re)\pi^*$ excited state of photoreactive dinuclear $L_nM'-Re(CO)_3(\alpha\text{-diimine})$ ($L_nM' = Ph_3Sn$, $(CO)_5Mn$, $(CO)_5Re$; α-diimine = bpy′, iPr-PyCa, iPr-DAB) complexes studied by time-resolved emission and absorption spectroscopies 5
B.D. Rossenaar (Amsterdam, Netherlands), E. Lindsay (Chico, CA, USA), D.J. Stufkens (Amsterdam, Netherlands), A. Vlček, Jr. (Prague, Czech Republic)



The synthesis, fluctionality and structural characterization of $ReMo_3H_4(CO)_{12}$ 15
J.W. Freeman, A.M. Arif, R.D. Ernst (Salt Lake City, UT, USA)

Six-coordinate phosphorus compounds. Crystal structures and dynamic NMR studies of phosphoranes containing chelating ligands 21
F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi, C. Reyé (Montpellier, France)



Elsevier Science S.A.

Multinucleating ligands from multiple palladium(0)-catalysed cross-coupling reactions — synthesis and characterisation of a trinuclear cyclometallated ruthenium(II) complex and a hexanuclear EPR-active molybdenum complex 29
A.M.W. Cargill Thompson, J.A. McCleverty, M.D. Ward (Bristol, UK)



Structural studies on $[Mo_3S_4]^{4+}$ and $[Mo_3S_4Cu]^{4+}$ complexes with tripodal ligands providing various N_xO_y $(x+y=3)$ donor sets..... 35
K. Hegetschweiler (Saarbrücken, Germany), M. Wörle, M.D. Meienberger, R. Nesper, H.W. Schmalle (Zurich, Switzerland), R.D. Hancock (Johannesburg, South Africa)



Steric control in the formation of $Co_2(CO)_6$–alkyne complexes from Group 14 tetraalkynes and their reactions with acid 49
M.A. Brook, B. Ramacher, C. Dallaire, H.K. Gupta, D. Ulbrich, R. Ruffolo (Hamilton, Ont., Canada)



Organometallic amphiphiles: novel mechanisms for redox chemical control of aggregation behavior 59
S. Muñoz (Coral Gables, FL, USA), G.W. Gokel (St. Louis, Mo, USA)

An M–H...H–C hydrogen bonding interaction 69
T.B. Richardson (New Haven, CT, USA), T.F. Koetzle (Upton, NY, USA), R.H. Crabtree (New Haven, CT, USA)



Aspects of the demetalation and remetalation of ceruloplasmin 75
F.K. Klemens, J.C. Severns, R. Tamilarasan, D.R. McMillin (West Lafayette, IN, USA)



Synthesis, crystal structure and magnetic properties of the chiral iron(II) chain $[Fe(bpym)(NCS)_2]_n$ (bpym = 2,2′-bipyrimidine) 81
G.D. Munno (Arcavacata di Rende Cosenza, Italy), M. Julve, J.A. Real, F. Lloret (Burjassot València, Spain), R. Scopelliti (Messina, Italy)



Coordination modes of the novel bifunctional nitrogen ligands 8-(2-pyridyl)quinoline and 8-(6-methyl-2-pyridyl)quinoline towards palladium and platinum. X-ray crystal structures of (8-(2-pyridyl)quinoline)Pd(Me)Cl, (8-(2-pyridyl)quinoline)Pd(C(O)Me)-Cl and (8-(2-pyridyl)quinoline)$Pd(PEt_3)Cl_2$ 87
J.G.P. Delis, M. Rep, R.E. Rülke, P.W.N.M. Van Leeuwen, K. Vrieze, J. Fraanje, K. Goubitz (Amsterdam, Netherlands)



Crown ether mediated cadmium halide dimers and polymers 105
R.D. Rogers, A.H. Bond (DeKalb, IL, USA)



Reactivity, variable temperature solution ^1H NMR studies and MO calculations of dimolybdenum allenylidene complexes of the type $[(\eta^5\text{-}C_5H_5)_2Mo_2(CO)_4(\mu,\eta^2(4e)\text{-}C{=}C{=}CR1R2)]$ 119
J.-F. Capon, N.L. Berre-Cosquer, F. Chuburu, R. Kergoat (Brest, France), J.-Y. Saillard (Rennes, France)



Reactions between ruthenium cluster carbonyls and 1,4-diphenylbuta-1,3-diyne 129
M.I. Bruce, N.N. Zaitseva (Adelaide, SA, Australia), B.W. Skelton, A.H. White (Nedlands, WA, Australia)



Dinuclear silver(I) complexes of 24-membered bibracchial tetraimine Schiff base macrocycles derived from 2,5-diformylthiophene 139
H. Adams, N.A. Bailey, P. Bertrand, S.R. Collinson, D.E. Fenton (Sheffield, UK), S.J. Kitchen (Hull, UK)



Evidence for C–C coupling between two mutually *cis* carbon ligands, η^3-crotyl and aryl in organopalladium(II) complexes 149
H. Kurosawa, K. Shiba, K. Hirako, I. Ikeda (Osaka, Japan)



Comparing the spectroscopic and electrochemical properties of ruthenium and osmium complexes of the tridentate polyazine ligands 2,2′:6′,2″-terpyridine and 2,3,5,6-tetrakis(2-pyridyl)pyrazine 155
L.M. Vogler, S.W. Jones, G.E. Jensen, R.G. Brewer, K.J. Brewer (Blacksburg, VA, USA)



Synthesis and characterization of $SrCu_2(O_2CR)_3(bdmap)_3$ and $Bi_2(O_2CCH_3)_4(bdmap)_2(H_2O)$ (R = CH_3, CF_3; bdmap = 1,3-bis(dimethylamino)-2-propanolato) 163
S.R. Breeze, S. Wang (Windsor, Ont., Canada), L.K. Thompson (St. Johns, Nfld., Canada)



The bdmap bonding modes in compounds 1 and 2

Pyrazolonato complexes of lead. Crystal structures of bis(1-phenyl-3-methyl-4-acetyl pyrazolonato)lead(II) and bis(1-phenyl-3-methyl-4-butanoylpyrazolonato)lead(II) 173
B. Augustus Uzoukwu, P.U. Adiukwu (Port Harcourt, Nigeria), S.S. Al-Juaid, P.B. Hitchcock, J. David Smith (Brighton, UK)



Reduction of a diruthenium bridging vinylidene species $Cp_2Ru_2(\mu\text{-}C{=}CH_2)(CO)(\mu\text{-}CO)(MeCN)$ by hydrosilane leading to a vinyl complex $Cp_2Ru_2(\mu\text{-}CH{=}CH_2)(CO)_2(SiR_3)$ and vinylsilane: a model system for production of an olefinic product from a vinylidene intermediate 177
R. Hua, M. Akita, Y. Moro-oka (Yokohama, Japan)



Ternary complexes in solution [1] with hydrogen phosphate and methyl phosphate as ligands 185
J. Zhao, B. Song, N. Saha, A. Saha (Basel, Switzerland), F. Gregáň (Bratislava, Slovakia), M. Bastian, H. Sigel (Basel, Switzerland)



Four-site four-electron model for Bi(III)–Bi(V) mixed valence complex 189
S. Larsson (Gothenburg, Sweden)



Reaction of $FcCCo_3(CO)_9$ with 2,3-bis(diphenylphosphino)maleic anhydride (bma). X-ray diffraction structure and redox properties of $Co_3(CO)_6[\mu_2\text{-}\eta^2\text{:}\eta^1\text{-}C(Fc)\overline{C=C(PPh_2)C(O)O}\overline{C(O)}](\mu_2\text{-}PPh_2)$ 195
H. Shen, S.G. Bott, M.G. Richmond (Denton, TX, USA)



Breast cancer inhibiting diastereomeric diacetato[1,2-bis(4-fluorophenyl)ethylenediamine]platinum(II) derivatives: synthesis and studies on the relationship between reactivity and antitumor activity 203
R. Gust, R. Krauser, B. Schmid, H. Schönenberger (Regensburg, Germany)



Synthesis, crystal structure and magnetic properties of the first structurally characterized 1,2-dithiocroconato-containing Cu(II) complex, $\{[Cu(bpca)(H_2O)]_2[Cu(1,2\text{-}dtcr)_2]\}\cdot 2H_2O$ 219
J. Sletten (Bergen, Norway), M. Julve, F. Lloret, I. Castro (Burjassot, Valencia, Spain), G. Seitz, K. Mann (Marburg/Lahn, Germany)



Polynuclear copper(II) complexes with μ_2-1,1-azide bridges. Structural and magnetic properties 227
C.L. Sheppard, S.S. Tandon, L.K. Thompson, J.N. Bridson, D.O. Miller, M. Handa (St. John's, Nfld., Canada), F. Lloret (València, Spain)



Trinuclear iridium and rhodium complexes: the solution to a puzzle involving the multiple coordination possibilities of 1,8-naphthyridine-2-one ligands 241
B. Eva Villarroya, L.A. Oro, F.J. Lahoz, A.J. Edwards, M.A. Ciriano, P.J. Alonso (Zaragoza, Spain), A. Tiripicchio, M.T. Camellini (Parma, Italy)



Pitfalls in limiting studies of reactivity to a family of compounds... 265
R.S. Drago (Gainesville, FL, USA)



Modelling transition state analogues and enzyme-inhibitor complexes of zinc-containing class II aldolases and metalloproteases... 271
M. Ruf, K. Weis, I. Brasack, H. Vahrenkamp (Freiburg, Germany)



Light induced sulfur-dealkylation of phosphino-thioether nickel(0) complexes 283
J.S. Kim, J.H. Reibenspies, M.Y. Darensbourg (College Station, TX, USA)



Extraction selectivites of lower rim substituted calix[4]arene hosts induced by variations in the upper rim substituents 295
A.T. Yordanov, D. Max Roundhill (Lubbock, TX, USA), J.T. Mague (New Orleans, LA, USA)



Studies of the oxovanadium(IV)–oxalate system: syntheses and crystal structures of binuclear $(Ph_4P)_2[(VO)_2(H_2O)_2(C_2O_4)_3]\cdot 4H_2O$ and of the one-dimensional chain material, $(Ph_4P)[VOCl(C_2O_4)]$ 303
J. Salta (Syracuse, NY, USA), C.J. O'Connor, S. Li (New Orleans, LA, USA), J. Zubieta (Syracuse, NY, USA)



Stopped-flow mechanistic study of bromide substitution by an organonitrile at an iron(II) phosphinic centre; a π-electron driven process 311
L.M.D.R.S. Martins, A.J.L. Pombeiro (Lisbon, Portugal), R.A. Henderson (Norwich, UK)



Mono-η^6 complexes of chromium(II) and chromium(0). Electron demanding substituents, structural and spectroscopic data comparisons 317
B.R. Jagirdar, K.J. Klabunde (Manhattan, KS, USA), R. Palmer, L.J. Radonovich (Grand Forks, ND, USA), T. Williams (Manhattan, KS, USA)



Reaction of sulfur diimides with organoboranes — studied by multinuclear magnetic resonance in solution 327
B. Wrackmeyer, U. Klaus, W. Milius (Bayreuth, Germany)



Comparison in halide binding ability between the unsaturated clusters $[Pd_3(\mu\text{-dppm})_3(CO)]^{2+}$ and $[PdPtCo(\mu\text{-dppm})_2(CO)_3(CN^tBu)]^+$ (dppm = $Ph_2PCH_2PPh_2$) 337
P.D. Harvey, K. Hierso (Sherbrooke, Que., Canada), P. Braunstein, X. Morise (Strasbourg, France)



Preparation of the *N,N,N',N'*-tetramethylethylenediamine complex of hydridozinc chloride. Reactions of zinc hydrides with some organic substrates 345
N.A. Bell, A.L. Kassyk (Sheffield, UK)



Substitution reaction mechanisms of dihydrido-ruthenium(II) phosphine complexes: hydride basicity and molecular hydrogen intermediates 351
P.G. Jessop, G. Rastar, B.R. James (Vancouver, BC, Canada)



Synthesis and problematic crystal structures of $[Al(CH_3CN)_6][MCl_6]_3(CH_3CN)_3$ (M = Ta, Nb or Sb) 359
E. Babian-Kibala, H. Chen, F. Albert Cotton, L.M. Daniels (College Station, TX, USA), L.R. Falvello (Zaragoza, Spain), G. Schmid, Z. Yao (College Station, TX, USA)



Synthesis and characterisation of Pd(II) allyl complexes derived from the diterpene carvone 365
N. Kositzyna, M. Antipin, K. Lyssenko (Moscow GSP, Russia), P.S. Pregosin, G. Trabesinger (Zurich, Switzerland)



Notes

Photoreactivity of buckminsterfullerene-bis(triphenylphosphite)-platinum(0) induced by metal-to-ligand charge transfer excitation 375
H. Kunkely, A. Vogler (Regensburg, Germany)



Electrochemical behavior of some bioorganometallic complexes ... 379
D. Osella, O. Gambino (Turin, Italy), J. Fiedler, L. Pospíšil (Prague, Czech Republic), H.E. Amouri, J.L. Bras, D. Vichard, M. Gruselle, G. Jaouen (Paris, France)



The solvent-initiated photochemistry of tris(*N,N*-diethyldithiocarbamato)iron(III) 385
J.M. Stegge, S.M. Woessner, P.E. Hoggard (Fargo, ND, USA)



Conference Calendar 389
Author Index 393

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.